

INTRODUCTION TO ARTIFICIAL NEURAL NETWORKS (ANN)

Mohammed Shbier




Outline

- **Definition, why and how are neural networks being used in solving problems**
- **Human biological neuron**
- **Artificial Neuron**
- **Applications of ANN**
- **Comparison of ANN vs conventional AI methods**

The idea of ANNs..?

- NNs learn relationship between cause and effect or organize large volumes of data into orderly and informative patterns.



Neural networks to the rescue...

- **Neural network:** *information processing paradigm inspired by biological nervous systems, such as our brain*
- Structure: large number of highly interconnected processing elements (*neurons*) working together
- Like people, they learn *from experience* (by example)




Definition of ANN

“Data processing system consisting of a large number of simple, highly interconnected processing elements (artificial neurons) in an architecture inspired by the structure of the cerebral cortex of the brain”



(Tsoukalas & Uhrig, 1997).

Inspiration from Neurobiology

Human Biological Neuron




Biological Neural Networks



Biological neuron

Biological Neural Networks

- A biological neuron has three types of main components; dendrites, soma (or cell body) and axon.
- Dendrites receives signals from other neurons.
- The soma, sums the incoming signals. When sufficient input is received, the cell fires; that is it transmit a signal over its axon to other cells.




Artificial Neurons

- ANN is an information processing system that has certain performance characteristics in common with biological nets.
- Several key features of the processing elements of ANN are suggested by the properties of biological neurons:
 1. The processing element receives many signals.
 2. Signals may be modified by a weight at the receiving synapse.
 3. The processing element sums the weighted inputs.
 4. Under appropriate circumstances (sufficient input), the neuron transmits a single output.
 5. The output from a particular neuron may go to many other neurons.

Artificial Neurons

- From experience: examples / training data
- Strength of connection between the neurons is stored as a weight-value for the specific connection.
- Learning the solution to a problem = changing the connection weights

A physical neuron




An artificial neuron


Artificial Neurons

- ANNs have been developed as generalizations of mathematical models of neural biology, based on the assumptions that:
 1. Information processing occurs at many simple elements called neurons.
 2. Signals are passed between neurons over connection links.
 3. Each connection link has an associated weight, which, in typical neural net, multiplies the signal transmitted.
 4. Each neuron applies an activation function to its net input to determine its output signal.

Artificial Neuron





Four basic components of a human biological neuron





The components of a basic artificial neuron

Model Of A Neuron




- 
- A neural net consists of a large number of simple processing elements called neurons, units, cells or nodes.
 - Each neuron is connected to other neurons by means of directed communication links, each with associated weight.
 - The weight represent information being used by the net to solve a problem.

- 
- Each neuron has an internal state, called its activation or activity level, which is a function of the inputs it has received. Typically, a neuron sends its activation as a signal to several other neurons.
 - It is important to note that a neuron can send only one signal at a time, although that signal is broadcast to several other neurons.

- 
- Neural networks are configured for a specific application, such as pattern recognition or data classification, through a **learning process**
 - In a biological system, learning involves adjustments to the synaptic connections between neurons
- ➔ same for artificial neural networks (ANNs)

Artificial Neural Network




- A neuron receives input, determines the strength or the weight of the input, calculates the total weighted input, and compares the total weighted with a value (threshold)
- The value is in the range of 0 and 1
- If the total weighted input greater than or equal the threshold value, the neuron will produce the output, and if the total weighted input less than the threshold value, no output will be produced



History


- 1943 McCulloch-Pitts neurons
- 1949 Hebb's law
- 1958 Perceptron (Rosenblatt)
- 1960 Adaline, better learning rule (Widrow, Huff)
- 1969 Limitations (Minsky, Papert)
- 1972 Kohonen nets, associative memory

- 
- 1977 Brain State in a Box (Anderson)
 - 1982 Hopfield net, constraint satisfaction
 - 1985 ART (Carpenter, Grossfield)
 - 1986 Backpropagation (Rumelhart, Hinton, McClelland)
 - 1988 Neocognitron, character recognition (Fukushima)

Characterization


- Architecture
 - a pattern of connections between neurons
 - Single Layer Feedforward
 - Multilayer Feedforward
 - Recurrent
- Strategy / Learning Algorithm
 - a method of determining the connection weights
 - Supervised
 - Unsupervised
 - Reinforcement
- Activation Function
 - Function to compute output signal from input signal

Single Layer Feedforward NN




Contoh: **ADALINE, AM, Hopfield, LVQ, Perceptron, SOFM**

Multilayer Neural Network



Contoh: **CCN, GRNN, MADALINE, MLFF with BP, Neocognitron, RBF, RCE**

Recurrent NN



Contoh: **ART, BAM, BSB, Boltzman Machine, Cauchy Machine, Hopfield, RNN**

Strategy / Learning Algorithm

Supervised Learning

- Learning is performed by presenting pattern with target
- During learning, produced output is compared with the desired output
 - The difference between both output is used to modify learning weights according to the learning algorithm
- Recognizing hand-written digits, pattern recognition and etc.
- Neural Network models: [perceptron](#), [feed-forward](#), [radial basis function](#), [support vector machine](#).

Unsupervised Learning

- Targets are not provided
- Appropriate for clustering task
 - Find similar groups of documents in the web, content addressable memory, clustering.
- Neural Network models: Kohonen, self organizing maps, Hopfield networks.



Reinforcement Learning

- Target is provided, but the desired output is absent.
- The net is only provided with guidance to determine the produced output is correct or vice versa.
- Weights are modified in the units that have errors

Activation Functions

- Identity

$$f(x) = x$$

- Binary step

$$f(x) = 1 \text{ if } x \geq \theta$$

$$f(x) = 0 \text{ otherwise}$$

- Binary sigmoid

$$f(x) = 1 / (1 + e^{-\sigma x})$$

- Bipolar sigmoid

$$f(x) = -1 + 2 / (1 + e^{-\sigma x})$$

- Hyperbolic tangent

$$f(x) = (e^x - e^{-x}) / (e^x + e^{-x})$$


Exercise

- 2 input AND

1	1	1
1	0	0
0	1	0
0	0	0

- 2 input OR

1	1	1
1	0	1
0	1	1
0	0	0



$w_1 = 0.5$

$w_2 = 0.3$

$$y_{in} = x_1 w_1 + x_2 w_2$$

Activation Function:
Binary Step Function
 $\theta = 0.5,$

$f(y_{in}) = 1$ if $y_{in} \geq \theta$
dan $f(y_{in}) = 0$

Where can neural network systems help...

- when we can't formulate an algorithmic solution.
- when we **can** get lots of examples of the behavior we require.

‘learning from experience’

- when we need to pick out the structure from existing data.




Who is interested?...

- Electrical Engineers – signal processing, control theory
- Computer Engineers – robotics
- Computer Scientists – artificial intelligence, pattern recognition
- Mathematicians – modelling tool when explicit relationships are unknown






Problem Domains

- Storing and recalling patterns
- Classifying patterns
- Mapping inputs onto outputs
- Grouping similar patterns
- Finding solutions to constrained optimization problems



Clustering



ANN Applications







Applications of ANNs

- Signal processing
- Pattern recognition, e.g. handwritten characters or face identification.
- Diagnosis or mapping symptoms to a medical case.
- Speech recognition
- Human Emotion Detection
- Educational Loan Forecasting

Abdominal Pain Prediction



Voice Recognition



Educational Loan Forecasting System

The screenshot displays a Windows application window titled 'LBNK' with a sub-window titled 'Borang'. The main form is titled 'MAKLUMAT PERIBADI PEMOHON' and contains the following fields:

Nama :	Ahmad B Salled
No Kad Pengenalan :	780405035678
Pusat Pengajian :	UUM

Borang Lengkap Diisi :	1	Jurusan Pengajian :	1
Tempat Lahir Pemohon :	2	Anugerah Khas :	1
Tempat Lahir Bapa :	1	Pendapatan :	1
Tempat Lahir Ibu :	1	Jumlah Tanggungan :	1
Tahap Pengajian :	1	Aktiviti Kokurikulum :	1
Kredit Subjek :	1	Penyertaan Sijil :	1

At the bottom of the form, there are two buttons: 'Proses' and 'Laporan'. To the right of these buttons, the 'Status Pemohonan' is displayed as 'Gagal'.

The Windows taskbar at the bottom shows the Start button, several application icons, and the system tray with the time '2:24 PM'.



Advantages Of NN

NON-LINEARITY

It can model non-linear systems

INPUT-OUTPUT MAPPING

It can derive a relationship between a set of input & output responses

ADAPTIVITY

The ability to learn allows the network to adapt to changes in the surrounding environment

EVIDENTIAL RESPONSE

It can provide a confidence level to a given solution



Advantages Of NN

CONTEXTUAL INFORMATION

Knowledge is presented by the structure of the network. Every neuron in the network is potentially affected by the global activity of all other neurons in the network. Consequently, contextual information is dealt with naturally in the network.

FAULT TOLERANCE

Distributed nature of the NN gives it fault tolerant capabilities

NEUROBIOLOGY ANALOGY

Models the architecture of the brain

Comparison of ANN with conventional AI methods

CHARACTERISTICS	TRADITIONAL COMPUTING (including Expert Systems)	ARTIFICIAL NEURAL NETWORKS
Processing style	Sequential	Parallel
Functions	Logically (left brained) via Rules Concepts Calculations	Gestalt (right brained) via Images Pictures Controls
Learning Method	by rules (didactically)	by example (Socratically)
Applications	Accounting, word processing, math, inventory, digital communications	Sensor processing, speech recognition, pattern recognition, text recognition